



## Triton Aluminum Plates

Plate size	Boot size	Plate length in mm	Wheelbase in mm	Toe length* in mm	Heel length** in mm	Plate length in inches	Wheelbase in inches	Plate weight each / pair in ounces	Plate weight assembly*** each / pair in ounces
4	4, 4 1/2	224	140	55	29	8 13/16	5 1/2	7.68 / 15.36	17.92 / 35.84
5	5, 5 1/2	232	146	57	29	9 1/8	5 3/4	8.00 / 16.00	18.24 / 36.48
6	6, 6 1/2	240	152	59	29	9 7/16	6	8.48 / 16.96	18.72 / 37.44
7	7, 7 1/2	248	158	61	29	9 3/4	6 1/4	8.80 / 17.60	19.04 / 38.08
8	8, 8 1/2	256	164	63	29	10 1/16	6 7/16	8.96 / 17.92	19.20 / 38.40
9	9, 9 1/2	264	170	65	29	10 3/8	6 11/16	9.12 / 18.24	19.36 / 38.72
10	10, 10 1/2	272	176	67	29	10 11/16	6 15/16	9.76 / 19.52	20.00 / 40.00
11	11, 11 1/2	280	182	69	29	11	7 3/16	9.92 / 19.84	20.16 / 40.32
12	12, 12 1/2	288	188	71	29	11 5/16	7 7/16	10.40 / 20.80	20.64 / 41.28
13	13	296	194	73	29	11 5/8	7 5/8	10.88 / 21.76	21.12 / 42.24

\*Toe length is distance from center of front axle to front end of plate

\*\*Heel length is distance from center of back axle to back end of plate

\*\*\*Plate assembly includes king pins, trucks, cushions, retainers, lock nuts

This chart is a guide - recommendations from the manufacturer. Plate size and mounting can vary for skaters. Skates mounted at Riedell will use this guide unless otherwise specified.